ROLLING SHUTTER MOTOR

www.siwstech.com





RESIDENTIAL AND COMMERCIAL SHUTTER MOTOR

SWSIAC300

SWSIAC600

SWSIAC800

SWSIAC1000

SWSIAC1500

























TECHNICAL CHARACTERISTICS

MODEL	SWSIAC300	SWSIAC600	SWSIAC800	SWSIAC1000	SWSIAC1500
MAX RAISING HEIGHT (M)	6	6	7	7	8
MAX UPGRADE WEIGHT (KG)	300	600	800	1000	1500
POWER (W)	200	370	400	450	800
RATE VOLTAGE	220	220	220	220	380
DIAMETER OF ROLLER	154	154	154	154	154
RELAYS	2	2	2	2	2
LIMIT SWITCHES	4	4	4	4	4
ROTATION (r/min)	6.2	6.2	3.4	3.2	5.7
OUTPUT TORQUE (N-m)	168	412	607	1102	1610
ANTI-BREAK	YES	YES	YES	YES	YES
CHAIN NUMBER	10A	10A	10A	12A	12A
BRACKET SIZE (mm)	495*280*3	530*320*3	600*320*3.5	640*360*4	755*400*6
	280*280*3	320*320*3	300*300*3.5	360*360*4	300*300*5













INTELLIGENT FEATURES

- The motor is suitable for both residential and commercial areas such as home, garages, shops, factories etc
- Light weight and compact, yet exceptionally durable: Our motor cases are precision-crafted from high-strength aluminum alloy using advanced pressure-casting technology.
- Unparalleled quiet operation and extended lifespan: Our reduction gear is crafted from premium, heat-resistant alloy, ensuring seamless performance with minimal noise.
- Expertly engineered for optimal performance, our motor boasts superior components, carefully selected to minimize energy consumption and maximize efficiency.
- In the event of a power outage, our manual override system allows for effortless operation: simply pull the chain to lift the door upwards or engage the clutch lever to lower it safely downwards.
- Experience seamless control with multiple operating options: remote control, hand control, and manual chain operation for power outages. For added security, the hand control can be locked remotely, preventing unauthorized access and ensuring maximum protection against break-ins.

OPTIONAL DEVICES























SAFETY MATTERS

www.siwstech.com