



OPEN YOUR WAY TO THE ULTIMATE

SLIDING GATE OPENER MODEL:SWDSL

www.siwstech.com




ELEVATING SECURITY

EFFORTLESS ENTRY



MODEL:SWDSL



➤ **24V AC MOTOR**

➤ **4 YEARS WARRANTY FOR DRIVE MOTOR; 2 YEARS WARRANTY FOR OTHER MOTOR PARTS**

➤ **ADVANCED TECHNOLOGY**

➤ **TECHNICAL GUIDANCE & SUPPORT**

➤ **AFTER SALE SERVICE**

➤ **LONG LASTING**



SPECIFICATIONS

MODEL	SWDSL500
Input power (v)	120V/220V 240V AC Single-Phase
Max.gate weight (kg)	500 KG
Max.torque (Nm)	18 Nm
Rated Power (w)	370 W
Protection class	IP 44
Speed (m/min)	12
Temperature (°C)	-45°C~+65°C
Noise	≤ 56 dB

MODEL	SWDSL1000
Input power (v)	120V/220V 240V AC Single-Phase
Max.gate weight (kg)	1000 KG
Max.torque (Nm)	35 Nm
Rated Power (w)	550 W
Protection class	IP 44
Speed (m/min)	12
Temperature (°C)	-45°C~+65°C
Noise	≤ 56 dB

MODEL	SWDSL1500
Input power (v)	120V/220V 240V AC Single-Phase
Max.gate weight (kg)	1500 KG
Max.torque (Nm)	38 Nm
Rated Power (w)	650 W
Protection class	IP 44
Speed (m/min)	12
Temperature (°C)	-45°C~+65°C
Noise	≤ 56 dB

OPTIONAL DEVICES



GSM



PHOTOCELL



FLASHLIGHT



WIFI MODULE






UHF READER



LOOP DETECTOR


WIRING DIAGRAM




INTELLIGENT FEATURES

- The body is made up of high-strength aluminium, with good sealing antiseptis and antirust.
- Applicable for residential and commercial purpose.
- Accomplishes it's operations within 60 seconds.
- Remote range upto 50 Meter from the gate.
- Suitable for all type of gates.
- Secure the gate by avoiding hitting the walls as it slow down during the opening and closing phase.
- Can add any optional devices.
- Overheat protection function in case of burn down the motor.
- Small in size, highly efficient, lightweight and low mechanical hum.
- The motor kit provides complete accessories and materials for easy installation .





OPEN YOUR WAY TO THE ULTIMATE



SAFETY MATTERS
www.siwstech.com